

Version 2.1/June 2018

A working checklist of
Nottinghamshire Curculionoidea

Weevils



Trevor and Dilys Pendleton

www.eakringbirds.com

The following list of Nottinghamshire Curculionoidea, has been derived from data extracted from the National Recording Scheme for Coleoptera: Curculionoidea, sent to us by Adrian Fowles. Adrian currently runs the scheme along with Colin Campbell and Mark Gurney and so we were delighted to receive the scheme's records for VC56, exchanged when we contributed our own Curculionoidea records and data.

The National Recording Scheme's data, lists the following contributors and sources as data providers.

- Natural England ISR additions
- R Wright Weevil records
- BRC MG Morris dataset
- The National Trust
- SA Lane Weevil data to 18/09/2015
- Invertebrate Site Register (English Nature 1997)
- Clive Washington Weevil records
- C Barnes - Lincs weevils
- T Bantock Curculionidae 2015
- iRecord additions
- National Trust Apionidae data (Oct 2015)
- H Kenward Weevil records
- ML Luff Apionidae Collection
- M Gurney
- DJ Gibbs Weevil data
- The Coleopterist
- Balfour-Browne Club database
- JS Denton
- Scolytinae data from Tim Winter via BRC
- MG Telfer
- Entomologist's Monthly Magazine
- RSPB Mapmate dataset (MGurney)
- Natural England - Riparia

Supplementing the species list, are our own records and those from the following list of contributors and organisations, who have all sent us their invertebrate records (including Curculionoidea) in recent years.

- Stuart Warrington. (The National Trust Clumber Park invertebrate records)
- Adrian Dutton
- Tim Sexton
- Allan and Annette Binding
- Bob Merritt
- Charlie Barnes
- Wil Heeney
- Sherwood Forest Trust
- Sorby Invertebrate Group
- Nottingham Biological and Geological Record Centre
- Jim Flanagan
- Sherwood Forest Visitor Centre
- Netherfield Wildlife Group
- Pauline Bradford
- Nottinghamshire Wildlife Trust

NEMONYCHIDAE Bedel, 1882

CIMBERIS des Gozis, 1881

Cimberis attelaboides (Fabricius, 1787)

ANTHRIBIDAE Billberg, 1820

ANTHRIBUS Geoffroy, 1762

Anthribus fasciatus (Forster, 1771)

Anthribus nebulosus (Forster, 1771)

PLATYRHINUS Clairville, 1798

Platyrhinus resinosus (Scopoli, 1763)

Platystomos albinus (Linnaeus, 1758)

RHYNCHITIDAE Gistel, 1848

LASIORHYNCHITES Jekel, 1860

Lasiorhynchites cavifrons (Gyllenhal, 1833)

NEOCOENORRHINUS Voss, 1951

Neocoenorrhinus germanicus (Herbst, 1797)

Neocoenorrhinus interpunctatus (Stephens, 1831)

Neocoenorrhinus minutus (Herbst, 1797)

Neocoenorrhinus pauxillus (Germar, 1824)

TATIANAERHYNCHITES Legalov, 2002

Tatianaerhynchites aequatus (Linnaeus, 1767)

TEMNOCERUS Thunberg, 1815

Temnocerus coeruleus (Fabricius, 1798)

Temnocerus nanus (Paykull, 1792)

CAENORHINUS Thomson, C.G., 1859

Caenorhinus mannerheimii (Hummel, 1823)

DEPORAUS Samouelle, 1819

Deporaus betulae (Linnaeus, 1758)

ATTELABIDAE Billberg, 1820

ATTELABUS Linnaeus, 1758

Attelabus nitens (Scopoli, 1763)

APODERUS Olivier, 1807

Apoderus coryli (Linnaeus, 1758)

APIONIDAE Schönherr, 1823

APION Herbst, 1797

Apion cruentatum Walton, 1844

Apion frumentarium (Linnaeus, 1758)

Apion haematodes Kirby, 1808

Apion rubens Stephens, 1839

Apion rubiginosum Grill, 1893

PERAPION Wagner, 1907

Perapion curtirostre (Germar, 1817)

Perapion hydrolapathi (Marsham, 1802)

Perapion marchicum (Herbst, 1797)

Perapion violaceum (Kirby, 1808)

ASPIDAPION Schilsky, 1901

Aspidapion aeneum (Fabricius, 1775)

Aspidapion radiolus (Marsham, 1802)

CERATAPION Schilsky, 1901

Ceratapion carduorum (Kirby, 1808)

Ceratapion gibbirostre (Gyllenhal, 1813)

Ceratapion onopordi (Kirby, 1808)

OMPHALAPION Schilsky, 1901

Omphalapion hookerorum (Kirby, 1808)

EXAPION Bedel, 1887

Exapion fuscirostre (Fabricius, 1775)

Exapion ulicis (Forster, 1771)

KALCAPION Schilsky, 1906

Kalcapion pallipes (Kirby, 1808)

MALVAPION Hoffmann, Adolfe, 1958

Malvapion malvae (Fabricius, 1775)

PSEUDAPION Schilsky, 1906

Pseudapion rufirostre (Fabricius, 1775)

EUTRICHAPION Reitter, 1916

Eutrichapion ervi (Kirby, 1808)

Eutrichapion viciae (Paykull, 1800)

Eutrichapion vorax (Herbst, 1797)

HOLOTRICHAPION Györfy, 1956

Holotrichapion pisi (Fabricius, 1801)

OXYSTOMA Duméril, 1806

Oxystoma cerdo (Gerstäcker, 1854)

Oxystoma pomonae (Fabricius, 1798)

Oxystoma subulatum (Kirby, 1808)

PIRAPION Reitter, 1916

Pirapion immune (Kirby, 1808)

CATAPION Schilsky, 1906

Catapion pubescens (Kirby, 1811)

Catapion seniculus (Kirby, 1808)

ISCHNOPTERAPION Bokor, 1923

Ischnopterapion loti (Kirby, 1808)

Ischnopterapion modestum (Germar, 1817)

Ischnopterapion virens (Herbst, 1797)

STENOPTERAPION Bokor, 1923

Stenopterapion meliloti (Kirby, 1808)

Stenopterapion tenue (Kirby, 1808)

BETULAPION Ehret, 1994

Betulapion simile (Kirby, 1811)

PROTAPION Schilsky, 1908

Protapion apricans (Herbst, 1797)

Protapion assimile (Kirby, 1808)

Protapion difforme (Germar, 1818)

Protapion fulvipes (Geoffroy in Fourcroy, 1785)

Protapion nigritarse (Kirby, 1808)

Protapion trifolii (Linnaeus, 1768)

Protapion varipes (Germar, 1817)

NANOPHYIDAE Gistel, 1848

NANOPHYES Schönherr, 1838

Nanophyes marmoratus (Goeze, 1777)

DRYOPHTHORIDAE Schönherr, 1825

SITOPHILUS Schönherr, 1838

Sitophilus granarius (Linnaeus, 1758)

Sitophilus oryzae (Linnaeus, 1763)

ERIRHINIDAE Schönherr, 1825

GRYPUS Germar, 1817

Grypus equiseti (Fabricius, 1775)

NOTARIS Germar, 1817

Notaris acridulus (Linnaeus, 1758)

Notaris scirpi (Fabricius, 1793)

PROCAS Stephens, 1831

Procas picipes (Marsham, 1802)

THRYOGENES Bedel, 1884

Thryogenes festucae (Herbst, 1795)

Thryogenes nereis (Paykull, 1800)

TOURNOTARIS Alonso-Zarazaga & Lyal, 1999

Tournotaris bimaculata (Fabricius, 1787)

STENOPELMUS Schönherr, 1836

Stenopelmus rufinasus Gyllenhal, 1836

TANYSPHYRUS Germar, 1817

Tanysphyrus lemnae (Paykull, 1792)

CURCULIONIDAE Latreille, 1802

ARCHARIUS Gistel, 1848

Archarius pyrrhoceras (Marsham, 1802)

Archarius salicivorus (Paykull, 1792)

CURCULIO Linnaeus, 1758

Curculio betulae (Stephens, 1831)

Curculio glandium Marsham, 1802

Curculio nucum Linnaeus, 1758

Curculio rubidus (Gyllenhal, 1836)
Curculio venosus (Gravenhorst, 1807)
Curculio villosus (Fabricius, 1781)

ANTHONOMUS Germar, 1817

Anthonomus bituberculatus Thomson, C.G., 1868
Anthonomus pedicularius (Linnaeus, 1758)
Anthonomus pomorum (Linnaeus, 1758)
Anthonomus rubi (Herbst, 1795)
Anthonomus ulmi (De Geer, 1775)

CIONUS Clairville, 1798

Cionus alauda (Herbst, 1784)
Cionus hortulanus (Fourcroy, 1785)
Cionus scrophulariae (Linnaeus, 1758)
Cionus tuberculosus (Scopoli, 1763)

CLEOPUS Dejean, 1821

Cleopus pulchellus (Herbst, 1795)

DORYTOMUS Germar, 1817

Dorytomus dejeani Faust, 1882
Dorytomus ictor (Herbst, 1795)
Dorytomus longimanus (Forster, 1771)
Dorytomus melanophthalmus (Paykull, 1792)
Dorytomus rufatus (Bedel, 1888)
Dorytomus taeniatus (Fabricius, 1781)
Dorytomus ictor (Herbst, 1795)

CLEOPOMIARUS Pierce, 1919

Cleopomiarus graminis (Gyllenhal, 1813)

GYMNETRON Schönherr, 1825

Gymnetron veronicae (Germar, 1821)
Gymnetron villosulum Gyllenhal, 1838

MECINUS Germar, 1821

Mecinus labilis (Herbst, 1795)
Mecinus pascuorum (Gyllenhal, 1813)
Mecinus pyraeter (Herbst, 1795)

MIARUS Schönherr, 1826

Miarus campanulae (Linnaeus, 1767)

RHINUSA Stephens, 1829

Rhinusa antirrhini (Paykull, 1800)

ISOCHNUS Thomson, C.G., 1859

Isochnus sequensi (Stierlin, 1894)

ORCHESTES Illiger, 1798

Orchestes alni (Linnaeus, 1758)
Orchestes fagi (Linnaeus, 1758)
Orchestes pilosus (Fabricius, 1781)
Orchestes quercus (Linnaeus, 1758)

Orchestes rusci (Herbst, 1795)
Orchestes signifer (Creutzer, 1799)
Orchestes testaceus (O. F. Müller, 1776)

RHAMPHUS Clairville, 1798

Rhamphus oxyacanthae (Marsham, 1802)
Rhamphus pulicarius (Herbst, 1795)

TACHYERGES Schönherr, 1825

Tachyerges salicis (Linnaeus, 1758)
Tachyerges stigma (Germar, 1821)

ORTHOCHAETES Germar, 1824

Orthochaetes setiger (Beck, 1817)

SIBINIA Germar, 1817

Sibinia primita (Herbst, 1795)

TYCHIUS Germar, 1817

Tychius meliloti Stephens, 1831
Tychius picirostris (Fabricius, 1787)

AULACOBARIS Desbrochers, 1892

Aulacobaris lepidii (Germar, 1824)

AMALORRHYNCHUS Reitter, 1913

Amalorrhynchus melanarius (Stephens, 1831)

CEUTORHYNCHUS Germar, 1824

Ceutorhynchus alliariae H. Brisout, 1860
Ceutorhynchus assimilis (Paykull, 1792)
Ceutorhynchus chalybaeus Germar, 1824
Ceutorhynchus constrictus (Marsham, 1802)
Ceutorhynchus contractus (Marsham, 1802)
Ceutorhynchus erysimi (Fabricius, 1787)
Ceutorhynchus obstructus (Marsham, 1802)
Ceutorhynchus pallidactylus (Marsham, 1802)
Ceutorhynchus picitarsis (Gyllenhal, 1837)
Ceutorhynchus pyrrhorhynchus (Marsham, 1802)
Ceutorhynchus typhae (Herbst, 1795)

COELIODES Schönherr, 1837

Coeliodes rana (Fabricius, 1787)
Coeliodes ruber (Marsham, 1802)

COELIODINUS Dieckmann, 1972

Coeliodinus rubicundus (Herbst, 1795)

DATONYCHUS Wagner, 1944

Datonychus melanostictus (Marsham, 1802)

DRUPENATUS Reitter, 1913

Drupenatus nasturtii (Germar, 1824)

GLOCIANUS Reitter, 1916

Glocianus distinctus (Brisout, Ch., 1870)

HADROPLONTUS Thomson, C.G., 1859

Hadroplontus litura (Fabricius, 1775)

Hadroplontus trimaculatus (Fabricius, 1775)

MICRELUS Thomson, C.G., 1859

Micrelus ericae (Gyllenhal, 1813)

MICROPLONTUS Wagner, 1944

Microplontus campestris (Gyllenhal, 1837)

Microplontus rugulosus (Herbst, 1795)

MOGULONES Reitter, 1916

Mogulones asperifoliarum (Gyllenhal, 1813)

NEDYUS Schönherr, 1825

Nedyus quadrimaculatus (Linnaeus, 1758)

PARETHELCUS Dieckmann, 1972

Parethelcus pollinarius (Forster, 1771)

POOPHAGUS Schönherr, 1837

Poophagus sisymbrii (Fabricius, 1777)

THAMIOCOLUS Thomson, C.G., 1859

Thamiocolus viduatus (Gyllenhal, 1813)

TRICHOSIROCALUS Colonnelli, 1979

Trichosirocalus barnevillei (Grenier, 1866)

Trichosirocalus troglodytes (Fabricius, 1787)

ZACLADUS Reitter, 1913

Zacladus geranii (Paykull, 1800)

AMALUS Schönherr, 1825

Amalus scortillum (Herbst, 1795)

PELENOMUS Thomson, C.G., 1859

Pelenomus comari (Herbst, 1795)

Pelenomus olssoni (Israelson, 1972)

Pelenomus quadrituberculatus (Fabricius, 1787)

PHYTOBIUS Schönherr, 1833

Phytobius leucogaster (Marsham, 1802)

RHINONCUS Schönherr, 1825

Rhinoncus bruchoides (Herbst, 1784)

Rhinoncus castor (Fabricius, 1793)

Rhinoncus inconspicuum (Herbst, 1795)

Rhinoncus pericarpium (Linnaeus, 1758)

Rhinoncus perpendicularis (Reich, 1797)

COSSONUS Clairville, 1798

Cossonus parallelepipedus (Herbst, 1795)

EUOPHRYUM Broun, 1909

Euophryum confine (Broun, 1881)

PENTARTHURUM Wollaston, 1854

Pentarthrum huttoni (Wollaston, 1854)

PHLOEOPHAGUS Schönherr, 1838

Phloeophagus lignarius (Marsham, 1802)

CRYPTORHYNCHUS Illiger, 1807

Cryptorhynchus lapathi (Linnaeus, 1758)

ACALLES Schönherr, 1825

Acalles misellus Boheman, 1844

Acalles ptinoides (Marsham, 1802)

KYKLIOACALLES Stüben, 1999

Kyklioacalles roboris (Curtis, 1835)

GRONOPS Schönherr, 1823

Gronops lunatus (Fabricius, 1775)

GRAPTUS Schönherr, 1823

Graptus triguttatus (Fabricius, 1775)

NELIOCARUS Thomson, C.G., 1859

Neliocarus faber (Herbst, 1784)

Neliocarus nebulosus (Stephens, 1831)

Neliocarus sus (Stephens, 1831)

STROPHOSOMA Billberg, 1820

Strophosoma capitatum (De Geer, 1775)

Strophosoma melanogrammum (Forster, 1771)

ATTACTAGENUS Tournier, 1876

Attactagenus plumbeus (Marsham, 1802)

PHILOPEDON Schönherr, 1826

Philopedon plagiatum (Schaller, 1783)

BARYNOTUS Germar, 1817

Barynotus moerens (Fabricius, 1793)

Barynotus obscurus (Fabricius, 1775)

OMIAMIMA Silfverberg, 1977

Omiamima mollina (Boheman, 1834)

OTIORHYNCHUS Germar, 1824

Otiorhynchus crataegi Germar, 1824

Otiorhynchus ovatus (Linnaeus, 1758)

Otiorhynchus raucus (Fabricius, 1777)

Otiorhynchus rugosostriatus (Goeze, 1777)

Otiorhynchus singularis (Linnaeus, 1767)
Otiorhynchus sulcatus (Fabricius, 1775)

PHYLLOBIUS Germar, 1824

Phyllobius argentatus (Linnaeus, 1758)
Phyllobius glaucus (Scopoli, 1763)
Phyllobius maculicornis Germar, 1824
Phyllobius pomaceus Gyllenhal, 1834
Phyllobius pyri (Linnaeus, 1758)
Phyllobius roboretanus Gredler, 1882
Phyllobius virideaeris (Laicharting, 1781)

LIOPHLOEUS Germar, 1817

Liophloeus tessellatus (Müller, O.F., 1776)

PACHYRHINUS Schönherr, 1823

Pachyrhinus lethierryi (Desbrochers, 1875)

POLYDRUSUS Germar, 1817

Polydrusus cervinus (Linnaeus, 1758)
Polydrusus formosus (Mayer, 1779)
Polydrusus mollis (Ström, 1768)
Polydrusus pterygomalis Boheman, 1840
Polydrusus tereticollis (De Geer, 1775)

BARYPEITHES Jacquelin du Val, 1855

Barypeithes araneiformis (Schrank, 1781)
Barypeithes pellucidus (Boheman, 1834)

BRACHYSOMUS Schönherr, 1823

Brachysomus echinatus (Bonsdorff, 1785)

SCIAPHILUS Schönherr, 1823

Sciaphilus asperatus (Bonsdorff, 1785)

ANDRION Velázquez, 2007

Andrion regensteinense (Herbst, 1797)

CHARAGMUS Schönherr, 1826

Charagmus griseus (Fabricius, 1775)

COELOSITONA González, 1971

Coelositona cambricus (Stephens, 1831)

SITONA Germar, 1817

Sitona cylindricollis (Fåhraeus, 1840)
Sitona hispidulus (Fabricius, 1777)
Sitona humeralis Stephens, 1831
Sitona lepidus Gyllenhal, 1834
Sitona lineatus (Linnaeus, 1758)
Sitona ononidis (Sharp, 1866)
Sitona puncticollis Stephens, 1831
Sitona striatellus Gyllenhal, 1834
Sitona sulcifrons (Thunberg, 1798)
Sitona suturalis Stephens, 1831

CAENOPSIS Bach, 1854

Caenopsis fissirostris (Walton, 1847)

ROMUALDIUS Borovec, 2009

Romualdius angustisetulus Hansen, 1915

Romualdius bifoveolatus (Beck, 1817)

TROPIPHORUS Schönherr, 1842

Tropiphorus terricola (Newman, 1838)

HYPERA Germar, 1817

Hypera arator (Linnaeus, 1758)

Hypera meles (Fabricius, 1792)

Hypera nigrirostris (Fabricius, 1775)

Hypera plantaginis (De Geer, 1775)

Hypera pollux (Fabricius, 1801)

Hypera postica (Gyllenhal, 1813)

Hypera rumicis (Linnaeus, 1758)

Hypera venusta (Fabricius, 1781)

Hypera zoilus (Scopoli, 1763)

RHINOCYLLUS Germar, 1817

Rhinocyllus conicus (Frölich, 1792)

MAGDALIS Germar, 1817

Magdalis armigera (Fourcroy, 1785)

Magdalis carbonaria (Linnaeus, 1758)

Magdalis cerasi (Linnaeus, 1758)

Magdalis ruficornis (Linnaeus, 1758)

LEIOSOMA Stephens, 1829

Leiosoma deflexum (Panzer, 1795)

ANOPLUS Germar, 1820

Anoplus plantaris (Naezen, 1794)

HYLOBIUS Germar, 1817

Hylobius abietis (Linnaeus, 1758)

PISSODES Germar, 1817

Pissodes castaneus (De Geer, 1775)

Pissodes pini (Linnaeus, 1758)

TRACHODES Germar, 1824

Trachodes hispidus (Linnaeus, 1758)

OROBITIS Germar, 1817

Orobitis cyaneus (Linnaeus, 1758)

SCOLYTUS Geoffroy, 1762

Scolytus intricatus (Ratzeburg, 1837)

Scolytus multistriatus (Marsham, 1802)

Scolytus scolytus (Fabricius, 1775)

PITYOPHTHORUS Eichhoff, 1864

Pityophthorus pubescens (Marsham, 1802)

ERNOPORICUS Berger, 1917

Ernoporicus caucasicus (Lindemann, 1876)

Ernoporicus fagi (Fabricius, 1798)

DRYOCOETES Eichhoff, 1864

Dryocoetes villosus (Fabricius, 1793)

TAPHRORYCHUS Eichhoff, 1878

Taphrorychus bicolor (Herbst, 1794)

TRYPODENDRON Stephens, 1830

Trypodendron domesticum (Linnaeus, 1758)

XYLEBORINUS Reitter, 1913

Xyleborinus saxesenii (Ratzeburg, 1837)

XYLEBORUS Eichhoff, 1864

Xyleborus dispar (Fabricius, 1792)

HYLESINUS Fabricius, 1801

Hylesinus crenatus (Fabricius, 1787)

Hylesinus toranio (Danthoine in Bernard, 1788)

Hylesinus varius (Fabricius, 1775)

HYLASTINUS Bedel, 1888

Hylastinus obscurus (Marsham, 1802)

HYLASTES Erichson, 1836

Hylastes ater (Paykull, 1800)

Hylastes opacus Erichson, 1836

HYLURGOPS LeConte, 1876

Hylurgops palliatus (Gyllenhal, 1813)

TOMICUS Latreille, 1802

Tomicus piniperda (Linnaeus, 1758)